


Last update: 16.03.2021

Content

- 1. <u>Settings</u>
 - a. <u>WorldSettings</u>
 - b. GameSettings
 - c. <u>SpawnerSettings</u>
 - d. <u>PlayerSettings</u>
- 2. Entity System
 - a. <u>Creation</u>
 - b. Entity Settings
 - c. Custom path
 - d. Dynamic instance
 - e. <u>Events</u>
- 3. Global Variables
 - a. <u>Player Data</u>
- 4. Global Methods
- 5. Instructions
- 6. <u>Audio</u>
- 7. <u>Q&A</u>

Need help or more info? Join our Telegram chat

Settings




WorldSettings

This block is for setting the game speed

Start Speed	Starting speed of the game. Updated after launching
Start Speed	the game
Speed Multiplier	Speed multiplier which will be multiplied once per
	interval
Speed Multiply Interval	-
Additional Speed Multiplier	An additional multiplier, use for bonuses or a sharp
Additional Speed Multiplier	change in speed.
Max Speed	-

To change an additional speed multiplier, use only **If Then Else**. Do not use animations or Exp Smooth, **this** will affect performance



GameSettings

This block is for setting the timer after which the game ends

Timer	Time value in ms	
-------	------------------	--

You can customize this template via patches and **blocks**.

To tweak something global, such as controls or loading, use blocks under AREYES folder.

SpawnerSettings

This block is for setting the coordinates of the spawn and despawn of objects

Min spawn interval	Minimum interval between object spawns
Max spawn interval	Maximum interval between object spawns
Angle	The range of angles between which objects will appear. In degrees
x	The start and end position of the entity along the X axis
Y	The start and end position of the entity along the Y axis

PlayerSettings

This block is for player customization

Max players	Maximum number of players. Maximum 5				
Max health	Maximum and starting amount of player health				
View colliders	Enable visibility of colliders. For easy sizing				
Collider size	Player collider dimensions				
Custom Path	Custom path to player object. Uses for rendering passes. See Custom path				
Movement range Y	Range of motion				
Jump height	-				
Blink mode	Blinking or submarine mode				
Sensitivity controller	Sensitivity of movement. 0 to 1				
Controller smoothing	Exponential smoothing factor for object movement				

Entity system

Creation

 ⁺ 0⁺ → AREYES STUDIO ⁺ 0⁺ → inst ALEXEYSURNIN_ ⁺ 0⁺ → EntitySettings ⁺ 				Step 1. Press Right-Mouse Button on "Entity
⇔ bad	Add		[+] Face Tracker	object, go Add and choose "Entity" from the
 ♀ good ♀ GameSettings ♀ PlayerSettings ♀ SpawnerSettings 	Rename Delete Cut	жX	 Plane Tracker Fixed Target Tracker Hand Tracker 	Step 2. Name this object uniquely, i. e. "bon
Spawner Settings	Сору	жс	♦ Plane	
			∱→ Null Object	
	Duplicate	₩D	😚 3D Object	▼ [] Device →
	Create Patch Create Block		 Face Mesh T 3D Text 	▼ 🖸 Camera I→
	Actions			▼
	Expand All Collapse All		Canvas Cancal Rectangle CD Stack	⊕ ambientLight0 ☆ directionalLight0
			2D Text 4 Ambient Light Directional Light	v orld
+ Add Object			Environment Light	\checkmark $\stackrel{\uparrow}{0}$ entities
Assets			* Point Light	▶ Ĉ→ player
			Spot Light	
🧼 health 🕖 food			다. Speaker	▶ 👌 bad
not_food			ంంి Particle System	▶ 🛟 customPath
o damage_mat →I				
food0			🛇 PlayerData	0, bonus
S food1 S not_food0			PlayerSettings	↑ facetrackera
S not_food1			SpawnerSettings	▶ Ô→ facetrackers
- 🥶 not_food2			😔 Entity	▶ [↑] speakers
🚳 not_food3	+ + + + + +	+ +	Settings	

Step 3. Create new nullObject inside entities folder and name it same. This object will be parent for all entities inside and will define their logic. These entities are called instances of "bonus" type.

Step 4. Create new nullObject inside "bonus" and name it uniquely, i. e. "bonus0"

Step 5. Then add new plane or 3D mesh inside "bonus0" object.

▶ ਹੈ _→ bad0
▶ ਹੈ, bad1
▶ 👌 bad2
▶ 👌 bad3
▶ 🛟 bad4
▶ û→ bad5
▶ ₀ → bad
🗇 plane
► 🛟 collider
▶ [↑] _{0→} facetrackers
h 1 anaalcara

You've created "bonus" entity type with one instance inside. The more instances of entity type you have, the more entities of this type can be spawn during the game. This means that now you will see only one "bonus" during the game.

To fix this, just duplicate "bonus0" object a few times using "Ctrl+D" shortcut. It is recommended to have at least 10 instances of each entity type, but this depends on Spawn Chance setting.

If you want to **debug colliders** of entities, add "collider" nullObject with plane or box each entity. This is optional


ity Settings" e end of the list.

nus".

Entity Settings

Dynamic	Is Entity type dynamic. See Dynamic instance
Block name	Block name for Dynamic instance
Custom Path	See Custom Path
View colliders	Enable visibility of colliders. For easy sizing
Mirror collider	Mirroring the collider relative to the center
Collider size	Collider size between opposite bounds
Collider position	By default, collider size is relative to object center. Change this param to move collider center
Spawn chance	Item spawn chance. The higher the value, the greater the chance of spawn.
Bubble text	The text that will appear after entity pickup
Add score	Add or remove player score on pickup
Add score on skip	Add or remove player score after item despair
Add health	Add or remove player health on pickup
Add health on skip	Add or remove player health after item despair
Death animation	Animation of decreasing entity after picking up
Min spawn interval	Minimum interval between this type of entity spawns
Spawn group	Combine several types of entities into one group. Then they will have a joint min spawn interval

Custom Path




You can make any path to entity. This is for using the Render Pass. For example, if you need to render two entities in one pass.

Inputs	
→ Dynamic	
→ Block Name	
→ Custom path	You/can/make/any path to entity
→ View colliders	
→ Collider size	1 X 1 Y 1 Z
→ Collider Position	0 X 0 Y 0 Z
	100

Dynamic Instance

To activate Dynamic Instance add "Scripting Dynamic Instantiation" to capability



To create a dynamic entity, you need to create a block in assets, create a block with a new entity in EntitySettings and specify the name of your block in the Block name column, also check the box opposite dynamic


		Assets
▼ Inputs		▶ 🗗 Patches
	_	▼ ☐ Blocks
→ Dynamic		🗇 GameSettings
		🗇 PlayerData
→ Block Name	DynamicBlock	🗇 PlayerSettings
		🗇 SpawnerSettings
→ Custom path		🜩 Entity
		🗇 WorldSettings
→ View colliders		😔 DynamicBlock
		▼ 🛅 Fonts
Collider size		+ Add Asset



After loading the game, a path to dynamic entities will be built. After the start of the game, entities will spawn or despawn, depending on the Spawner settings

Events

To handle events, you need to drag and drop a block with entity settings in the Patch Editor



onTaken	Fires on collision with any player
onSpawn	Fires on spawn
onDespawn	Fires on despawn


To determine which player picked up the Entity, you can create a Pulse AND patch. And use onTaken from Entity Settings block and onTaken from PlayerData block

+ +															
+ +	Pulse 1 Value		▼ Switch												
+ (→	Value		+ + → Flip ●												
+ +			→ + → Turn On •												
+ +		▼ Delay	+ 🔿 Turn Off 💽 🔤												
+ +		+ → Input 0			And										
+ +		+ Duration 0,1		-() F	irst Bo	olean			Puls				Out Valu	pulse	
+ +				-) s	Second	Boole	ean		On /	Off					
+ + + -	Pulse 2		▼ Switch	- → \$ +	Second	Boole	ean		On / +	Off +			Inpu		
+ + + - + •	Value 🔶		+ + → Flip ●	- → s + +	Second + + + +	Boole + +	ean		On / + +	Off + +					
+ + + + + +				+ + +	Second + + + +	Boole + + +	ean		On / + + +	Off + +					
+ + + · + + + + + +	Value 🔶	+ + + + + + + + + + + + + + + + + + +	+ + → Flip ●	- → S + + + +	Second + + + + + +	Boole + + + +	ean + + + + + + + + + + + + + + + + + + +		On / + + +	Off + + +					
+ + + + + + + + + +	Value 🔶	+ + + + + + + + + + + + + + + + + + + +	$\begin{array}{ccc} & + & + & + \\ + & + & \rightarrow & \text{Flip} \\ \hline & + & + & \rightarrow & \text{Turn On} \\ \end{array}$	+ + + + +	Second + + + + + + + + + +	Boole + + + +	ean		On / + + + +	Off + + + +					
+ + + + + + + + + + + + + + + + + + + +	Value 🔶		+ → Flip • → + → Turn On • → + → Turn Off •	+ + + + +	Second + + + + + + + + + + + +	Boole + + + + + +	ean + + + + + + + + + + + + + + + + + + +		On / + + + + +	Off + + + +					

Pulse AND Patch

+					
+					
+		▼ good	* * * * * * * * * * * * *	+ + + + + + + + + + + + + + + + + + +	
+		+ good	Object + + + + + + + + + + + + + + + + + + +		
+			→ dynamic + + + + + + + + +	+ + + + + +	
+		• • • • •	🔶 blockName + + + + + + +	+ + + + +	
+		• + +	🔶 customPath + + + + + + + -	·+ a the state → thealth_text + +	player0_onTaken
+		- + + +	🔶 view Colliders + + + + + + + +	→ score_text	Sender • • • • • • • • • • • • • • • • • • •
+		· · · · ·	→ colliderSize	→ onTaken	+ + + + +
+			ColliderPosition		
+			→ spawnChance	▼ player1 → Object	
			→ bubbleText	→ health	
+			→ addScore	+ + + + +	
+			▲ addScoreOnSkip + + + + + + + + + + + + + + + + + + +	+ → health_text +	+ + _ + + + + +
+		- + +	→ addHealth + + + + + + + + + + + + + + + + + + +	+ → score_text	player1_onTaken Sender)) + + + + +
+		4. 4.	→ addHealthOnSkip ⁺ ⁺ ⁺ ⁺ ⁺ ⁺ ⁺ ⁺	+ 📜 + + 🚽 🔁	• • • • • • • • • • • • • • • • • • • •
+		· + +	→ ± ± ± ± ± ± ± ± ± ± ± ± ± ± ± ± ± ± ±	+ + + + + +	
+		· • • •	1 + + + + + + + + + + + + + + + + + + +	+ + + 🕺 + + + + + +	
+			Group F + + + + + + + + + + + + + + + + +		
+		· + +	↔ onTaken	▼ Pulse AND ∠ ³	on Player1 taken good
+		· + · · +	(→ onSpawn + + + + + + + + + + + + + + + + + + +		Value + + +
+			→ onDespawn + + + + + + + +	$\rightarrow \text{Input} \bigcirc \rightarrow + + + \rightarrow$) Input • + + + +
+		+ 😥		→ Input • + + + + +	
+		(play	er1_onTaken ×		
+					
+				▼ Pulse AND 🖉	on Player0 taken good Value
+				$\rightarrow \text{Input} \bullet \qquad \rightarrow \qquad$	Value → + + + +
+		🌔 nlay	er0_onTaken ×	→ Input •	
+					
+					


Global Variables



gameInProgress	The state of the game. True if the game is started	
speed	The speed of moving objects, environment, etc.	
timerValue	Timer value in seconds. Number	
timerValue_text	Timer value in seconds. Text	
bestScore	Best score. Number	
bestScore_text	Best score. Text	

Player Data

Player data is passed to patches through the PlayerData block. It's in world / entities / player folder




health	Current health. Number	
score	Current score. Number	
health_text	Current health. Text	
score_text	Current score. Text	
Jump	Custom Jump Event	
onTaken	Event. Fires on collision with any object	

Global Methods


IdesnawnEntities	Despawn all entities. For example, before the start of the bonus level	
startGame	Start game	
stopGame	Stop game	

By default, the game starts when you tap the screen or when you start recording a video




Instructions

The settings for all instructions are displayed in the Patch Editor. You can fully customize, change the logic to fit your needs



Audio

All audio is also controlled via the Patch editor. You can use any available events to play sounds. The most popular events and sounds are already included in the template, you just need to replace the file



To convert any audio to .m4a use this site

Settings:

- sampling rate 44100 Hz
- audio channels mono
- audio codec aac

44100 Hz 🛊	
mono 💠	
to	00:00:00
aac 🛟	
	mono \$

Q&A

If anything goes wrong you can always get help in our Telegram chat by link t.me/sparkargames

If you have any feature ideas, feel free to contact me. Almost **every** feature that comes in updates have been suggested by template users!

Q: I want to edit script, but I see something scary inside script.js

- A: Sadly, you can't edit the script. Use Events and States in Patch Editor to extend template capabilities.
- Q: How can I remove or change the license in the filter?
- A: You can use this program to change licenses

Check out more high-quality templates at <u>gumroad.com/alexeysurnin</u> && <u>gumroad.com/a_e_surnin</u> && <u>gumroad.com/rokkoeffe</u>